



# ***IMO MARPOL TIER 2 CERTIFIED ENGINES***

**Our efficiency.  
Your edge.**

# Engines Specifications

Engine Commercial Code	Engine Type	Rated Power & Speed	
		Power [kW]	Speed [rpm]
S30ENTM23.10	F1CE0486A*A	169	4000
	F1C0486B*A	129	3500
	F1C0486C*A	85	3500
N67MNTM28.11	F4GE0686A*E	206	2800
	F4GE0686B*E	191	2800
	F4GE0686C*E	169	2800
	F4GE0686D*E	132	2500
N40ENTM25.11	F4AE0486A*Q	184	2800
	F4AE0486B*Q	169	2800
N60ENTM40.11	F4AE0686A*Q	294	3000
	F4AE0686B*Q	272	3000
	F4AE0686C*Q	242	3000
	F4AE0686D*Q	198	3000
N67ENTM45.11	F4HE0686E*E	220	3000
	F4HE0686F*E	198,5	3000
	F4HE0686H*E	146	3000
	F4HE0686G*E	195	2300
	F4AE0686A*F	331	3000
N67ENTM45.12	F4AE0686B*F	309	3000
	F4AE0686C*F	272	3000
	F4AE0686D*F	257	3000
	F4HFA616H*H	404	3200
N67ENTMW55.11	F4HFA616F*H	368	3200
	F4HFA616G*H	353	3200
	F4HFA616A*H	419	3000
N67ENTMW57.10	F4HFA616P*H	404	3000
	F4HFA616R*H	390	3000
	F4HFA616S*H	357	3000
	F2CE0686M*A	301	2000
C87ENTM38.11	F2CE0686M*B	301	2000
	F2CE0686J*B	301	2000
	F2CE0686A*A	279	2000
	F2CE0686A*B	279	2000
	F2CE0686K*B	279	2000
	F2CE0686B*A	243	2000
	F2CE0686B*B	243	2000
	F2CE0686C*A	220	2000
	F2CE0686C*B	220	2000
	F2CE0686D*A	206	2000
	F2CE0686D*B	206	2000
	F2CE0686E*A	161	2000
	F2CE0686E*B	161	2000
	F2CE0686F*A	147	2000
	F2CE0686F*B	147	2000
	F2CE0686H*A	140	2000
	F2CE0686H*B	140	2000
	F2CE0686R*B	220	1800
	F2CE0686G*A	141	1780
	F2CE0686G*B	141	1780
C87ENTM62.12	F2CJ0686B*Q	456	2530
	F2CJ0686C*Q	426	2530
	F2CJ0686D*Q	404	2530
	F2CJ0686E*Q	368	2530
	F2CJ0686F*Q	331	2530

Engine Commercial Code	Engine Type	Rated Power & Speed	
		Power [kW]	Speed [rpm]
C87ENTM65.12	F2CJ0686A*Q	478	2530
C87ENTMW65.10	F2CK0686A*Q	478	2530
	F2CK0686B*Q	460	2530
C13ENTM50.12	F2CJ0686K*Q	445	2530
	F3BE0686C*R	282	2000
	F3BE0686C*F	367	2000
	F3BE0686D*F	367	2000
	F3BE0686C*G	323	2000
	F3BE0686D*G	323	2000
	F3BE0686C*M	294	2000
	F3BE0686D*M	294	2000
	F3BE0686C*H	279	2000
	F3BE0686D*H	279	2000
	F3BE0686C*J	243	2000
	F3BE0686D*J	243	2000
	F3BE0686C*P	220	2000
C13ENTM83.10	F3BE0686D*P	220	2000
	F3BE0686C*K	206	2000
	F3BE0686D*K	206	2000
	F3BE0686C*L	367	1800
	F3BE0686C*N	189	1600
	F3BE0686D*N	189	1600
	F3BH0686E*F	323	2400
C13ENTM83.11	F3BH0686F*F	294	2400
	F3BH0686G*F	243	2400
	F3BH0686H*F	220	2400
	F3BH0686L*F	189	1600
C16ENTMP60.10	F3BH0686A*Q	607	2400
	F3BH0686B*Q	551	2400
	F3BH0686C*Q	478	2400
C16ENTMP100.10	F3BH0686D*Q	441	2400
	F3JFA616A*T	441	1800
	F3JFA616B*T	368	1800
	F3JFA616C*T	404	1800
	F3JFA616D*T	353	1800
	F3JFA616E*T	323	1800
	F3JFA616F*T	309	1800
	F3JFA616G*T	287	1800
	F3JFA616H*T	243	1800
	F3JFA616J*T	220	1800
F3JFA616K*T	206	1415	
C16ENTMP60.10	F3JFA616A*Q	735	2300
	F3JFA616B*Q	662	2300
	F3JFA616C*Q	599	2300
	F3JFA616D*Q	551	2300
	F3JFA616E*Q	478	2300
	F3JFA616F*Q	220	2300
	F3JFA616G*Q	146	2300
C16ENTMP100.10	F3JFA616H*Q	691	2450
	F3JFA616J*Q	206	1415

FPT Industrial S.p.A.

Via Puglia 15, 10156  
Torino, Italy

[fptindustrial.com](http://fptindustrial.com)

[marketing@  
fptindustrial.com](mailto:marketing@fptindustrial.com)

All the pictures, drawings illustrations and descriptions contained in this brochure are based on product information available to FPT Industrial at the time of printing (31/05/2023). Some of the engine line-ups may refer to a specific market configuration which may not be present or offered for sale available in all other markets. The colors featured in this brochure may differ from the originals. FPT Industrial reserves the right to introduce any modifications, at any time and without any prior advance notice, to design, material, components equipment and/or technical specifications.